Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		S49 and @ad < "19981113" .	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 17:01
S1	2	<b>~20040093605~</b>	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 15:25
S2	1	("6862635"). PN.	US-PGPUB; USPAT	OR	OFF	2007/11/08 15:29
S3	1	("6832380"). PN.	US-PGPUB; USPAT	OR	OFF	2007/11/08 15:32
S4	1	("6918125"). PN.	US-PGPUB; USPAT	OR	OFF	2007/11/08 16:05
S5	1	("6823519"). PN.	US-PGPUB; USPAT	OR	0FF	2007/11/08 16:06
S6	2	<b>~20050091665~</b>	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 16:06
S7	1063	bucket with array	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 14:24
S8	9	bucket with array same (read write) near2 (counter index) .	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 14:05
S9	25	bucket with array and (read write) near2 (counter index)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 14:11
S10	30	bucket with array and (read write) near2 (counter index pointer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 14:20
S11	622	bucket and (read write) near2 (counter index pointer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 14:20
S12	<b>80</b>	bucket same (read write) near2 (counter index pointer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 14:21
S13	68	bucket adj array	US-PGPUB; USPAT; USOCR; EPO; DERWENT;	OR	ON	2007/11/15 14:24
S14	13	S13 and @ad < ~19981113~	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR .	ON	2007/11/15 16:39

		Endi bearen mister	•			
S15	5	("5721893"). URPN.	USPAT	OR	ON	2007/11/15 14:25
S16	510	array with pointer with (link\$list link\$2 adj list)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 14:31
S17	6	array with pointer with (link\$list link\$2 adj list) same (counter index) with (read write)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 14:28
S18	78	array with pointer with (link\$list link\$2 adj list) and (counter index) with (read write)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 14:28
S19	116	array with pointer with (link\$list link\$2 adj list) and (publish\$3 subscrib\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM TDB	OR	ON	2007/11/15 14:31
S20	4213	write adj (counter index pointer) same read adj (counter index pointer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 14:35
S21	348	write adj (counter index pointer) same read adj (counter index pointer) same array	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 14:35
S22	165	write adj (counter index pointer) same read adj (counter index pointer) same array and (sync synchroniz\$3 synchronization)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 14:35
S23	. 82	S22 and @ad < "19981113" .	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 14:39
S24	. 33	(("4, 819, 234") or ("4, 872, 167") or ("5, 168, 554") or ("5, 301, 325") or ("5, 333, 280") or ("5, 450, 575") or ("5, 504, 932") or ("5, 533, 192") or ("5, 557, 761") or ("5, 564, 051") or ("5, 581, 764") or ("5, 594, 864") or ("5, 598, 560") or ("5, 632, 032") or ("5, 652, 889") or ("5, 712, 996") or ("5, 754, 855") or ("5, 768, 591") or ("5, 768, 592") or ("5, 774, 721") or ("5, 787, 245") or ("5, 805, 892") or ("5, 812, 811") or ("5, 826, 265") or ("5, 867, 643") or ("5, 903, 730") or ("5, 913, 925") or ("5, 953, 530") or ("5, 966, 539")). PN.	USPAT	OR	OFF	2007/11/15 14:55
S25	28	load\$3 with library adj module with link\$3	US-PGPUB; USPAT; USOCR	OR	ON ·	2007/11/15 15:18
S26	14	(("5,978,902") or ("6,002,872") or ("6,002,879") or ("6,009,269") or ("6,029,005") or ("6,049,671") or ("6,058,493") or ("6,059,840") or ("6,072,952") or ("6,094,716") or ("6,101,524") or ("6,112,293") or ("6,151,701") or ("6,151,704")). PN.	US-PGPUB: USPAT	OR	OFF	2007/11/15 15:32
S27	8	(("6, 154, 796") or ("6, 263, 410") or ("4, 860, 285") or ("5, 805, 878") or ("5, 600, 837") or ("6, 473, 818") or ("5, 974, 483") or ("6, 161, 160")). PN.	US-PGPUB; USPAT	OR	OFF	2007/11/15 16:00
S28	3	(("5, 881, 264") or ("5, 926, 227") or ("5, 931, 926")). PN.	US-PGPUB; USPAT	OR	OFF	2007/11/15 16:01
S29	1	("6182195"). PN.	US-PGPUB; USPAT	OR	OFF	2007/11/15 16:03
S30	2	(("5542058") or ("5560029")).PN.	US-PGPUB; USPAT	OR	OFF	2007/11/15 16:05

16   ('4,316,245') or ('4,321,451') or ('4,395,757') or ('4, 22,460') or ('5,247,675') or ('5,295,451') or ('5,295,407') or ('5,247,675') or ('5,295,407') or					·····	
128, 946") or (5,247,805") or (5,274,805") or (5,295,407)   075,905,407,705") or (5,407,705") or (5,407,705") or (5,505,505") or (5,505,505"	S31 1	("6314471"). PN.		OR	OFF	2007/11/15 16:07
S34   138	S32 16	725,946") or ("5,247,675") or ("5,274,809") or ("5,295,451") or ("5,440,708") or ("5,442,789") or ("5,515,538") or ("5.546,301") or ("5.557,747") or ("5.666,523") or ("5.		OR .	OFF	2007/11/15 16:07
	S33 1081	(read write) adj (pointer counter index) same (array	USPAT; USOCR; EPO; DERWENT;	OR	ON	2007/11/15 16:38
S36	S34 138		USPAT; USOCR; EPO; DERWENT;	OR	ON	2007/11/15 16:41
Sample   S	S35 2171		USPAT; USOCR; EPO; DERWENT;	OR	ON	2007/11/15 16:41
S38	S36 438	(read write) adj (pointer counter index) same (array bucket queue) and (link\$2 with list)	USPAT; USOCR; EPO; DERWENT;	OR	ON	2007/11/15 16:47
S39   5	S37 148	S36 and @ad < "19981113"	USPAT; USOCR; EPO; DERWENT;	OR	ON	2007/11/15 16:51
S39   5   (read write) adj (pointer counter index) same (array bucket queue) and (publish\$4 same subscrib\$4)   US-PCPUB; USPAT: USOCR; EPO; DERWENT; IBM_TDB   US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB   US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB   US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB   OR US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB   USPAT; USOCR; EPO; DERWENT; ISM_TDB   USPAT; USOCR; EPO; DERWENT; USOCR; EPO; DERWENT; USOCR; EPO; DERWENT; USOCR; EPO; DERWENT;	S38 115	S37 not 43 .	US-PGPUB; USPAT; USOCR; EPO; DERWENT;	OR	ON	2007/11/15 16:42
S40	5   5	(read write) adj (pointer counter index) same (array bucket queue) and (publish\$4 same subscrib\$4)	US-PGPUB; USPAT: USOCR; EPO; DERWENT;	OR	ON	2007/11/15 16:51
S41	S40 487	bucket with array and (pointer index counter)	US-PGPUB; USPAT; USOCR; EPO; DERWENT;	OR	ON	2007/11/15 16:48
S42   25   S41 and @ad < "19981113"   US-PGPUB: USPAT: USOCR: EPO: DERWENT: IBM_TDB   US-PGPUB: US-PGPUB	S41 85	bucket adj2 array and (pointer index counter)	US-PGPUB; USPAT; USOCR; EPO; DERWENT;	OR	ON	2007/11/15 16:48
S43 34 (pointer counter index) with next same (array with bucket) US-PGPUB; OR ON 2007/11/15	S42 25	S41 and @ad < "19981113"	US-PGPUB: USPAT: USOCR: EPO: DERWENT:	OR	ON	2007/11/15 16:49
EPO: DERWENT: IBM_TDB	S43 34	(pointer counter index) with next same (array with bucket)	US-PGPUB; USPAT; USOCR; EPO; DERWENT;	OR	ON	2007/11/15 16:51

		Did Dourd Hiboo	•			
. S44	10	S43 and @ad < "19981113"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 16:53
S45	13	S13 and @ad < "19981113" :	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 16:56
S46	593	hash adj bucket	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 16:56
S47	50	hash adj bucket and (read write) near2 (counter pointer index)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 17:00
S48	17	S47 and @ad < "19981113" .	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 17:00
S49	159	bucket and (read) near (counter pointer index) and (write) near (counter pointer index)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 17:00
S50	53	S49 and @ad < "19981113"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 17:01
S51	21	bucket adj array same size	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/18 15:51
S52	27	bucket adj array same (count\$2 size)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/18 16:01
S53	13	bucket adj array same (count\$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/18 15:54
S54	9	bucket adj array.same (lower)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON .	2007/11/18 15:54
S55	9	bucket adj array and (lower) adj2 bound	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/18 15:55

			- ,			
S56	11	bucket adj array and (lower) adj2 (bound threshold)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON .	2007/11/18 15:56
S57	2	bucket adj array and (lower) adj2 (threshold)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/18 15:56
S58	11	bucket adj array and (lower minimum) adj2 (threshold bound)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/18 15:57
S59	4	bucket adj array same (total)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/18 16:09
S60	48	bucket adj array same (number)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/18 16:12
S61	15	bucket adj array same (number) and modulo	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/18 16:12
S62	1	("6862635"). PN.	US-PGPUB; USPAT	OR	OFF	2007/11/18 16:16
S63	2066	(710/52). CCLS.	US-PGPUB; USPAT	OR	0FF	2007/11/18 16:21
S64	531	(710/56). CCLS.	US-PGPUB; USPAT	OR	OFF	2007/11/18 16:21
S65	503	(710/57). CCLS.	US-PGPUB; USPAT	OR	0FF	2007/11/18 16:21
S66	1790	(707/103r). CCLS.	US-PGPUB; USPAT	OR	OFF	2007/11/18 16:21
S67	5786	(707/100). CCLS.	US-PGPUB; USPAT	OR	OFF	2007/11/18 16:21